



Marking Scheme
Class X Session 2024-25
MATHEMATICS BASIC (Code No.241)
(For Visually Impaired)

TIME: 3 hours

MAX.MARKS: 80

Q. No.	Section A	Marks
1.	B) 90	1
2.	C) either intersecting or coincident	1
3.	D) 7	1
4.	C) $2\sqrt{a^2 + b^2}$	1
5.	D) 145°	1
6.	D) 15 cm	1
7.	A) $\frac{5}{4}$	1
8.	B) Similar but not congruent	1
9.	C) 3780	1
10.	B) 40	1
11.	D) $\frac{2}{3}$	1
12.	D) $\sqrt{119}$ cm	1
13.	A) $\cos 60^\circ$	1
14.	(C) $3\pi r^2$	1
15.	D) 4	1
16.	B) real and equal	1
17.	C) 30 - 40	1
18.	D) $25x^2 - 5x - 2$	1
19.	A) Both assertion (A) and reason (R) are true and reason (R) is the correct explanation of assertion (A)	1
20.	C) Assertion (A) is true but reason (R) is false.	1

	Section B															
21(A).	$PA^2 = PB^2$ $\Rightarrow (x - 4)^2 + (y - 3)^2 = (x - 3)^2 + (y - 4)^2$ $\Rightarrow x = y \text{ or } x - y = 0$	1 1														
	OR															
21 (B).	Let the points be $A (-4, -1), B (-2, -4), C (4, 0)$ and $D(2,3)$ Mid-point of AC = $\left(\frac{-4+4}{2}, \frac{-1+0}{2}\right) = \left(0, -\frac{1}{2}\right)$ Mid-point of BD = $\left(\frac{-2+2}{2}, \frac{-4+3}{2}\right) = \left(0, -\frac{1}{2}\right)$ Since mid-points of AC and BD are same $\therefore$ ABCD is a parallelogram (as diagonals of parallelogram bisect each other)	1 $\frac{1}{2}$ $\frac{1}{2}$														
22.	 AM = 4 cm $OM = \sqrt{OA^2 - AM^2}$ $= \sqrt{5^2 - 4^2}$ $= 3 \text{ cm}$	$\frac{1}{2}$ $\frac{1}{2}$ 1														
23 (A).	$\frac{12}{2} [2 \times 20 + 11d] = 900$ $\Rightarrow d = 10$ Also $a_{12} = 20 + 11 \times 10 = 130$	$\frac{1}{2}$ 1 $\frac{1}{2}$														
	OR															
23 (B).	Putting $n = 1, S_1 = a = 6 - 1^2 = 5 \dots\dots\dots (i)$ Putting $n = 2, S_2 = 2a + d = 6 \times 2 - 2^2 = 8 \dots\dots\dots (ii)$ Solving (i) & (ii) $d = -2$	$\frac{1}{2}$ 1 $\frac{1}{2}$														
24.	$\sin(A - B) = \frac{1}{2} \Rightarrow A - B = 30^\circ \dots\dots\dots (i)$ $\cos(A + B) = \frac{1}{2} \Rightarrow A + B = 60^\circ \dots\dots\dots (ii)$ Solving (i) & (ii) to get $A = 45^\circ, B = 15^\circ$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2} + \frac{1}{2}$														
25.	<table><tr><td>Class</td><td>5-10</td><td>10-15</td><td>15-20</td><td>20-25</td><td>25-30</td><td>30-35</td></tr><tr><td>Frequency</td><td>5</td><td>6</td><td>15</td><td>10</td><td>5</td><td>4</td></tr></table>	Class	5-10	10-15	15-20	20-25	25-30	30-35	Frequency	5	6	15	10	5	4	
Class	5-10	10-15	15-20	20-25	25-30	30-35										
Frequency	5	6	15	10	5	4										

	$x_1=\frac{3k-2}{k+1} \quad \text{and} \quad y_1=\frac{5k-1}{k+1}$ $(x_1, y_1) \text{ lies on } 4x + y = 4$ $\text{Therefore, } 4\left(\frac{3k-2}{k+1}\right)+\left(\frac{5k-1}{k+1}\right)=4$ $\Rightarrow k=1$ Required ratio is 1:1	1 $\frac{1}{2}$ 1 $\frac{1}{2}$																																			
28.	$\text{LHS}=\left(\frac{1}{\sin A}-\sin A\right)\left(\frac{1}{\cos A}-\cos A\right)$ $=\frac{1-\sin^2 A}{\sin A} \times \frac{1-\cos^2 A}{\cos A}$ $=\frac{\cos^2 A}{\sin A} \times \frac{\sin^2 A}{\cos A}$ $=\cos A \sin A$ $\text{RHS}=\frac{\cos A \sin A}{\sin^2 A+\cos^2 A}$ $=\cos A \sin A=\text{LHS}$	$\frac{1}{2}$ 1 $\frac{1}{2}$ 1																																			
29.	<table><thead><tr><th>Class</th><th>x</th><th>frequency(f)</th><th>$u=\frac{x-25}{10}$</th><th>fu</th></tr></thead><tbody><tr><td>0-10</td><td>5</td><td>6</td><td>-2</td><td>-12</td></tr><tr><td>10-20</td><td>15</td><td>10</td><td>-1</td><td>-10</td></tr><tr><td>20-30</td><td>25</td><td>15</td><td>0</td><td>0</td></tr><tr><td>30-40</td><td>35</td><td>9</td><td>1</td><td>9</td></tr><tr><td>40-50</td><td>45</td><td>10</td><td>2</td><td>20</td></tr><tr><td></td><td></td><td>$\Sigma f=50$</td><td></td><td>$\Sigma fu=7$</td></tr></tbody></table> $\text{Mean}=25+10 \times\left(\frac{7}{50}\right)$ $=26.4$	Class	x	frequency(f)	$u=\frac{x-25}{10}$	fu	0-10	5	6	-2	-12	10-20	15	10	-1	-10	20-30	25	15	0	0	30-40	35	9	1	9	40-50	45	10	2	20			$\Sigma f=50$		$\Sigma fu=7$	Correct table $1\frac{1}{2}$ 1 $\frac{1}{2}$
Class	x	frequency(f)	$u=\frac{x-25}{10}$	fu																																	
0-10	5	6	-2	-12																																	
10-20	15	10	-1	-10																																	
20-30	25	15	0	0																																	
30-40	35	9	1	9																																	
40-50	45	10	2	20																																	
		$\Sigma f=50$		$\Sigma fu=7$																																	
30 (A).	 (i) $\triangle OAP \cong \triangle OBP$ $\angle APO = \angle BPO$ Or OP bisects $\angle P$ (ii) $\triangle AQP \cong \triangle BQP$ $\Rightarrow AQ=QB$ and $\angle AQP = \angle BQP$	1 1																																			

	AB is a straight line therefore $\angle AQP = \angle BQP = 90^\circ$ Hence OP is right bisector of AB	1
	OR	
30 (B).	Correct Given, to prove and construction Correct proof	1 2
31.	Let the two-digit number be $10x + y$ Therefore $(10x + y) + (10y + x) = 99$ $\Rightarrow x + y = 9$(i) Also, $x = 3 + y$(ii) Solving (i) & (ii) to get $y = 3, x = 6$ Therefore, required number is 63	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
	Section D	
32 (A).	Let the number of books purchased be x Therefore, cost price of 1 book = $\frac{1920}{x}$ Therefore $\frac{1920}{x} - \frac{1920}{x+4} = 24$ $\Rightarrow 1920 \times 4 = 24x(x + 4)$ or $x^2 + 4x - 320 = 0$ $\Rightarrow (x + 20)(x - 16) = 0$ $\Rightarrow x = 16, x \neq -20$ Number of books bought=16 Price of each book = $\frac{1920}{16} = ₹120$	1 1 1 1 1
	OR	
32 (B).	Let the initial average speed of the train be x km/hr. Therefore $\frac{132}{x} + \frac{140}{x+4} = 4$ $\Rightarrow 4x^2 - 256x - 528 = 0$ or $x^2 - 64x - 132 = 0$ $\Rightarrow (x - 66)(x + 2) = 0$ $\Rightarrow x = 66, x \neq -2$ Initial average speed of train= 66 km/hr Time taken to cover the distances separately = $\frac{132}{66}$ & $\frac{140}{70}$ i.e. 2 hours each	1 1 1 1 1
33.	Correct Given, to prove and construction Correct Proof	$\frac{1}{2} \times$ 3=1½ 3½

34.	Perimeter of sector = $2r + l = 25.8$ $\Rightarrow l = 25.8 - 12.6$ $\Rightarrow l = 13.2 \text{ cm}$ Area of sector = $\frac{1}{2}lr$ $= \frac{1}{2} \times 13.2 \times 6.3$ $= 41.58 \text{ cm}^2$	$1\frac{1}{2}$ 1 1 $1\frac{1}{2}$
35 (A).	Let AB be the building and CD be the tower. Here $\tan 60^\circ = \sqrt{3} = \frac{h}{x}$ $\Rightarrow h = x\sqrt{3} \dots \dots \dots (i)$ $\tan 45^\circ = \frac{9}{x} = 1$ $\Rightarrow x = 9 \text{ m} \dots \dots \dots (ii)$ (Distance between tower and building) Solving (i) & (ii) to get $h = 9 \times 1.732 = 15.588 \text{ m}$ Therefore, the height of the tower = $h + 9 = 24.588 \text{ m}$.	1 mark for correct figure 1 $\frac{1}{2}$ 1 $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
	OR	
35 (B).	Let AB be the light house and C & D be positions of ships. $\tan 30^\circ = \frac{1}{\sqrt{3}} = \frac{75}{x+y}$ $\Rightarrow x + y = 75\sqrt{3} \dots \dots \dots (i)$ $\tan 45^\circ = 1 = \frac{75}{y}$ $\Rightarrow y = 75 \dots \dots \dots (ii)$ Solving (i) & (ii) to get $x = 75(\sqrt{3} - 1)$ $\Rightarrow x = 75 \times 0.732$	1 mark for correct figure 1 $\frac{1}{2}$ 1 $\frac{1}{2}$ 1

	$= \pi r l$ $= 3.14 \times 3 \times 5$ $= 47.1 \text{ cm}^2$	$\frac{1}{2}$
	Area of the base circle = $3.14 \times 3^2 = 28.26 \text{ cm}^2$	$\frac{1}{2}$
	So, total surface area of the toy = CSA of cylinder + CSA of cone + area of base circle	$\frac{1}{2}$
	$= (226.08 + 47.1 + 28.26) \text{ cm}^2$ $= 301.44 \text{ cm}^2$	$\frac{1}{2}$
	OR	
	(B) Combined volume of the toy	
	= volume of cone + volume of cylinder	$\frac{1}{2}$
	$= \frac{1}{3} \pi r^2 x + \pi r^2 h$	
	$= \pi \times r^2 \left(\frac{1}{3} \times 4 + 12 \right) \text{ cm}^3$	$\frac{1}{2}$
	$= 3.14 \times 9 \times \frac{40}{3} \text{ cm}^3$	$\frac{1}{2}$
	$= 376.8 \text{ cm}^3$	$\frac{1}{2}$